



FIG. 1



LEGEND:

1-ORAL BACTERIA 2-CHLAMYDIA 3-MYCOPLASMA 4-H.PYLORI 5-HERPES VIRUS 6-MYOSIN 7-O-LDL  
8-B2-GLYCOPROTEIN 9-HSP-60 10-LUPUS PEPTIDE 11-ARTHRITIS PEPTIDE 12-IMMUNE COMPLEX


FIG. 2



LEGEND:

- 1-ORAL BACTERIA 2-CHLAMYDIA 3-MYCOPLASMA 4-H.PYLORI 5-HERPES VIRUS 6-MYOSIN 7-O-LDL
- 8-B-2-GLYCOPROTEIN 9-HSP-60 10-LUPUS PEPTIDE 11-ARTHRITIS PEPTIDE 12-IMMUNE COMPLEX

FIG. 3



LEGEND:

- 1-ORAL BACTERIA 2-CHLAMYDIA 3-MYCOPLASMA 4-H.PYLORI 5-HERPES VIRUS 6-MYOSIN 7-O-LDL
- 8-B-2-GLYCOPROTEIN 9-HSP-60 10-LUPUS PEPTIDE 11-ARTHRITIS PEPTIDE 12-IMMUNE COMPLEX

FIG. 4




FIG. 5




FIG. 6

CORRELATION BETWEEN REACTIVITY OF ANTIBODY TO ANTIGEN  
AND MEDICAL CONDITION

Reactivity to of Saliva IgA Antibody Against:	Optimal	Infection
Oral Bacteria	Normal	Elevated
Chlamydia	Normal	Elevated
Mycoplasma	Normal	Elevated
Borrelia	Normal	Elevated
Trepanema	Normal	Elevated
Trypanozoma	Normal	Elevated
Coxsackie	Normal	Elevated
Herpes virus	Normal	Elevated
H. Pylori	Normal	Elevated
Streptococcus	Normal	Elevated